# TABLES + SPACE DIVISION

PRICING EFFECTIVE MARCH 27, 2023 (REV. 11/27/23)

Being over a century old hasn't slowed us down! Sure, we are still the reliable, ethical company that was born in southern Indiana, steeped in quality, craftsmanship, and service. But have you seen our latest introductions? We are making a splash with design and challenging the concept of modern offices. Go ahead. Take a look. You know you want to.

#### Our Pledge to People + Our Planet.

We've been making wood furniture longer than just about anyone...and we want to be doing so for a long time to come. That's a large part of why we take a stewardship approach to our resources. We believe that environmental sustainability and business profits need not be mutually exclusive. They can and should exist side by side in a mutually beneficial relationship. And for more than a century, we've been showing how it's done.

We've proven our commitment to a sustainable future by supporting the standards and programs that protect our home planet and human health. Whether it's local sourcing, reducing contaminants, implementing wellness and safety programs, or diverting waste from landfills, social responsibility is a part of every decision we make at Indiana Furniture.

One of the surest ways to reduce our impact on the planet is to make and buy things that last. And this one's a natural for us. Our products are made with craftsmanship and attention to detail that are a part of our more than a century-long legacy in wood manufacturing. And our products are backed by our 12-year warranty, which facilitates maintenance, servicing and reassembly.



#### All of our product lines:

- · Are manufactured and assembled in the USA,
- · Meet or exceed Indoor Air quality standards\*,
- Meet or exceed BIFMA level® Sustainability standards and certification\*,
- Conform to the BIFMA Compliance standards\*,
- · Comply with TSCA Title VI (CARB) standards,
- and can contribute to U.S. Green Building's LEED Program.

To learn more, simply go to www.IndianaFurniture.com/resources.



















#### **Ease of Specification**

Whether you're looking to specify your office spaces or simply to visualize them in the options and surface materials you are desiring, we make it easy. You can find the entire Indiana Furniture portfolio on the following third-party, space-planning platforms.













Traditional components echo history and create timeless foundations for meeting rooms that complement our Jefferson and Arlington casegoods collections, and Cameo and Jefferson Reception options. Facilitate presentations with lecterns and visual presentation boards. Mobile serving carts and buffet height credenzas provide additional in-room utility.

#### CONSTRUCTION

Cameo Tables and Components feature your choice of either a Veneer or HPL top, Veneer bases, and Veneer chassis (where applicable).

#### **VENEERS**

 Veneers on exposed surfaces are select grade sliced American Black Walnut and are carefully selected and matched to assure proper balance and consistency

#### **LAMINATES**

- Exposed surfaces are produced from wood grained laminates fused to a particle-board core
- Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance

#### TOPS

- Wood Veneer tops are 5-ply balanced construction and High Pressure Laminate (HPL) tops are 3-ply balanced construction
- Tops are 13/16" thick with solid hardwood rims
- All buffets, credenzas, serving carts, video cabinets, and storage/ wardrobe cabinets are shaped on user side only
- Grain direction runs left to right unless otherwise noted

#### CHASSIS

- Tops and end panels are securely fastened using high quality
- European fastening systems to ensure maximum strength
- All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors

#### **DRAWERS**


- All drawer fronts are standard with elegant vertically matched walnut veneer faces
- Drawers feature 5-sided construction with ¾" 3-ply fronts, ¾6" thick hardwood sides and ¾2" hardboard bottoms
- Units with 36" wide file drawers feature ¼" thick drawer bottoms for maximum storage strength
- Drawer interiors are sanded, sealed, and finished to provide for a smooth, quality feel and appearance
- All drawers feature full extension, progressive action slides with precision steel ball bearings
- · Box and file drawers are tested for 100lb capacity
- · Lateral files are tested for 200lb capacity
- All suspensions have a limited lifetime warranty

#### STORAGE

- All hinged doors include soft close hinges, unless otherwise noted
- One piece hinge and base plate combination
- Soft close hinges reduce stress placed on the cabinet when the door is closed and offers a quiet closure

#### LOCKING

- · All units with file drawers feature locking
- Removable lock cylinders allow for units to be re-keyed at a later date if required
- Units are shipped randomly keyed as standard. Keyed alike units available upon request at no additional charge.
- Keyed alike units available upon request at no additional charge
- Lock cores match pull color





HOW TO OF	RDER	EXAMPLES		
	QTY	MODEL NO.	DESCRIPTION	EXAMPLE
TOP	1	91-4296RT	Top Material	W
			Finish/Color	EW
			Edge Profile	C2
			Grommet/Power/ Data Location	EL
BASES	2	01-2028TB	Finish	EW
PORTS	2	01-OASISMA		
TELECOM PLATE	1	01-ABLAB		
MOBILE	1	91-2436SV	Top Material	Р
CART			Finish/Color	EW
			Edge Profile	C2
			Pull	ALB
			Back Panel Grommet	1-GRMT
			<b>Grommet Color</b>	Black

#### **VENEER (W) OPTIONS**

Veneer features UVAdvantage, an ultra-violet finish, on all exposed surfaces by utilizing roll-coat UV technology

AW	Artisan Walnut	LW	Legacy Walnut
CO	Columbian Walnut	MW	Mahogany Walnut
DC	Dark Cherry	MTS	Metropolis Sky
DFW	Dark Forest Walnut	PNW	Pinnacle Walnut
EW	Espresso	SCH	Select Cherry
GC	Golden Cherry	SKC	Shaker Cherry
HW	Harvest Walnut	WC	Williamsburg Cherry
HNW	Henna Walnut		

#### **HPL (P) LAMINATE**

#### WOODGRAIN

CO	Columbian Walnut	PNW	Pinnacle Walnut
EF	Espresso	SCH	Select Cherry
GC	Golden Cherry	SKC	Shaker Cherry
MW	Mahogany Walnut	WC	Williamsburg Cherry

#### **EDGE PROFILES**

Jefferson Arlington





Jefferson (C2)

Arlington (R)

#### **PULL OPTIONS** ALB Liberty, Aluminum ARA Arlington A, Brass ARB WLM Wilmington, Brass Arlington B, Brass JEF Jefferson, Brass Arlington B (ARB) Arlington A (ARA) Antique Brass - 51/4' Antique Brass - 51/4" Antique Brass - 51/4" Wilmington (WLM) Liberty (ALB) Aluminum - 41/4' Antique Brass - 51/4' **GROMMET/POWER/DATA OPTIONS & LOCATIONS**

See units and options in <u>accessories section</u> and the <u>general power</u> and locations information section

#### **LOCKING DOORS**

1

Locking doors are available on specific units, where noted. You must specify WITH LOCKING when ordering and add upcharge.

Lock core will be black if Arlington, Jefferson, and Wilmington brass pulls are selected and silver if Liberty Aluminum pulls are selected.

LKT_HU	72" W - 48" W Units	\$ 111
LKT_HU	42" W - 24" W Units	\$ 88
LKT_HU	18" W Units	\$ 67

#### **CERTIFICATIONS & COMPLIANCE**

- Intertek Sustainability Certified
- BIFMA level® Certified
- BIFMA Compliant® Certified
- TSCA Title VI (formerly CARB) Compliance
- US Green Building's LEED® Contribution



## **CAMEO**STATEMENT OF LINE

#### Tops/Shapes











Rectangular (<u>See Details</u>)

Arc Rectangular (See Details)

Racetrack (See Details)

Boat-Shaped (See Details)

Bases



Rectangular (<u>See Details</u>)



Square (See Details)



Queen Anne Base (See Details)

#### **Storage Components**



Two Door Buffet w/Drawer



Four Door Buffet w/2 Drawers (See Details)



Four Door Buffet w/2 Drawers & Open Storage (See Details)



Four Door Buffet w/3 Drawers
(See Details)



Two Door Credenza (See Details)



Four Door Credenza (<u>See Details</u>)



Storage Cabinet Double Doors (See Details)



ors



Wardrobe/Storage Cabinet (See Details)



Mobile Serving Cart (See Details)



Lectern Stand (See Details)



Visual Board (See Details)



Visor Rail (<u>See Details</u>)

#### Wire Management & Power/Data Accessories













Item	Model No.	W	D	н	Ship Wt	Cubic Ft		List Price
RECTANGULAR TOPS	192" or 16' - 2 Piece Tops	1			1	"		
	91-48192RT	192	48	13/16	375	15.5	P\$	7537
	<b>&gt;</b>						W\$	9477
	168" or 14' - 2 Piece Tops							
	91-48168RT	168	48	13/16	325	13.6	P\$	7430
							W\$	8831
	144" or 12' - 2 Piece Tops							
	91-48144RT	144	48	13/16	275	12.3	P\$	6249
							W\$	7327
Must Specify (in this order):	120" or 10' - 2 Piece Tops							
Model #	91-48120RT	120	48	13/16	225	10.3	P\$	5600
Top Material							W\$	6461
Finish/Color Edge Profile	96" or 8' - 1 Piece Top							
Grommet/Power/Data Location	91-4296RT	96	42	13/16	180	9.4	P\$	4202
							W\$	4845
	72" or 6' - 1 Piece Top							
	91-3672RT	72	36	13/16	100	6.2	P\$	2735
							W\$	3228

#### Description

- · Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect Two (2) Piece Tops
- See Bases and Number Required For Each Top Size, See Multiple Base Options; Must Order Separately
- Optional Grommets and Power/Data; For Locations See <u>Power and Locations Information Section</u>, See Units and Unit Options in <u>Accessories Section</u>

#### ARC RECTANGULAR TOPS



Must Specify (in this order):

Model #
Top Material
Finish/Color
Edge Profile
Grommet/Power/Data Location

192" or 16' - 2 Piece Tops							
91-48192AR	192	48	13/16	375	15.5	P\$	7969
						W\$	9907
168" or 14' - 2 Piece Tops							
91-48168AR	168	48	13/16	325	13.6	P\$	7862
						W\$	9262
144" or 12' - 2 Piece Tops							
91-48144AR	144	48	13/16	275	12.3	P\$	6677
						W\$	7752
120" or 10' - 2 Piece Tops							
91-48120AR	120	48	13/16	225	10.3	P\$	6032
						W\$	6894
96" or 8' - 1 Piece Top							
91-4296AR	96	42	13/16	180	9.4	P\$	4738
						W\$	5383
72" or 6' - 1 Piece Top							
91-3672AR	72	36	13/16	100	6.2	P\$	3018
						W\$	3510

#### Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect (2) Piece Tops
- See Bases and Number Required For Each Top Size, See Multiple Base Options; Must Order Separately
- Optional Grommets and Power/Data; For Locations See <u>Power and Locations Information Section</u>, See Units and Unit Options in <u>Accessories Section</u>



ltem	Model No.	w	D	н	Ship Wt	Cubic Ft	ı	ist Price
RACETRACK TOPS	192" or 16' - 2 Piece Tops							
	91-48192AT	192	48	13/16	375	15.5	P\$ W\$	9262 11198
	168" or 14' - 2 Piece Tops							
	91-48168AT	168	48	13/16	325	13.6	P\$ W\$	8939 10338
	144" or 12' - 2 Piece Tops							
	91-48144AT	144	48	13/16	275	12.3	P\$ W\$	7646 8724
Must Specify (in this order):	120" or 10' - 2 Piece Tops							
Model # Top Material Finish/Color	91-48120AT	120	48	13/16	225	10.3	P\$ W\$	6787 7646
Edge Profile	96" or 8' - 1 Piece Top							
Grommet/Power/Data Location	91-4296AT	96	42	13/16	180	9.4	P\$ W\$	5166 5814
	72" or 6' - 1 Piece Top							
	91-3672AT	72	36	13/16	100	6.2	P\$ W\$	3599 4090

#### Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect (2) Piece Tops
- See Bases and Number Required For Each Top Size, See Multiple Base Options; Must Order Separately
- Optional Grommets and Power/Data; For Locations See <u>Power and Locations Information Section</u>, See Units and Unit Options in <u>Accessories Section</u>

## Must Specify (in this order): Model # Top Material Finish/Color Edge Profile Grommet/Power/Data Location

**BOAT-SHAPED TOPS** 

192" or 16' - 2 Piece Tops 91-48192BT 192 48 13/16 375 15.5 P\$ 9262 11198 W\$ 168" or 14' - 2 Piece Tops 91-48168BT 168 48 13/16 325 13.6 P\$ 8939 W\$ 10338 144" or 12' - 2 Piece Tops 91-48144BT 144 48 13/16 275 12.3 P\$ 7646 W\$ 8724 120" or 10' - 2 Piece Tops 91-48120BT 120 48 13/16 225 10.3 P\$ 6787 7646 W\$ 96" or 8' - 1 Piece Top 91-4296BT 96 13/16 180 42 9.4 P\$ 5166 W\$ 5814 72" or 6' - 1 Piece Top 91-3672BT 6.2 P\$ 3599 72 36 13/16 100 W\$ 4090

#### Description

- · Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect (2) Piece Tops
- See Bases and Number Required For Each Top Size, <u>See Multiple Base Options</u>; Must Order Separately
- Optional Grommets and Power/Data; For Locations See <u>Power and Locations Information Section</u>, See Units and Unit Options in <u>Accessories Section</u>




Item	Model No.	w	D	Н	Ship Wt	Cubic Ft		List Price
WAVE-RECTANGULAR TOPS	192" or 16' - 2 Piece Tops							
	91-48192WR	192	48	13/16	375	15.5	P\$ W\$	7969 9907
	168" or 14' - 2 Piece Tops							
	91-48168WR	168	48	13/16	325	13.6	P\$ W\$	7862 9262
	144" or 12' - 2 Piece Tops							
	91-48144WR	144	48	13/16	275	12.3	P\$ W\$	6677 7752
Must Specify (in this order):	120" or 10' - 2 Piece Tops							
Model # Top Material Finish/Color	91-48120WR	120	48	13/16	225	10.3	P\$ W\$	6032 6894
Edge Profile	96" or 8' - 1 Piece Top							
Grommet/Power/Data Location	91-4296WR	96	42	13/16	180	9.4	P\$ W\$	4738 5383
	72" or 6' - 1 Piece Top							
	91-3672WR	72	36	13/16	100	6.2	P\$ W\$	3018 3510

#### Description

- Grain Runs the Width of the Table
- Heavy-Duty Ganging Mechanisms Connect (2) Piece Tops
- See Bases and Number Required For Each Top Size, See Multiple Base Options; Must Order Separately
- Optional Grommets and Power/Data; For Locations See Power and Locations Information Section, See Units and Unit Options in Accessories Section

#### RECTANGULAR BASE TRADITIONAL



For Use with 48"D Tops							
01-2428TB	24	2	28½	38	2.7	W\$	1439
For Use with 42"D or Less Tops							
01-2028TB	20	2	28½	32	2.3	W\$	1350

#### Description

- Traditional Molding on Outer Side Standard; For No Decorative Molding Option, Must Specify (See Below)
- Stretchers are Included in Pricing; Must Specify Model (See Below)



#### **Molding Option: Specify**

NONE No Decorative Molding \$ N/C

72" 192" **Table Width** 96" 120" 144" 168" **Number of Bases Required** 2 2 3 3 3 5 **Stretcher Rail Needed** 01-72STR 01-96STR 01-120STR 01-144STR 01-168STR 01-192STR

Model # and Quantity

Finish No Molding Stretcher Rail

Must Specify (in this order):

Note: Molding is applied to one side of outer extreme bases. If 3 or more bases are required, center bases will not have molding on either side.



Item	Model No.	w	D	н	Ship Wt	Cubic Ft	Lis	st Price
SQUARE BASE TRADITIONAL	01-2020TSB	20	20	28½	57	8.4	W\$	1964







Must Specify (in this order): Model # and Quantity Finish No Molding Grommet Option

#### Description

- Panel Access Door Features Soft Close Hinges
- Traditional Molding Standard on All Sides; For No Decorative Molding Option, Must Specify (See Below)
- 2" Wire Management Opening Above Door; 23%" (60mm) Wire Management Opening in Bottom
- Optional Grommet at Top Edge, Must Specify (See Below)

#### **Options: Specify & Add**

NONE	No Decorative Molding	\$ N/C
GCB1S	Grommet at Top Edge One (1) - Factory Installed	\$ 50

Table Width	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

Note: Recommended on tables 72"W or Larger. If specified on smaller tables, a ballast must be ordered separately. Contact Customer Service for

#### **QUEEN ANNE BASE**



Must Specify (in this order): Model # and Quantity Finish

#### 24

#### 24

283/4

#### 35

#### 10.8

#### W\$

#### 1358

#### Description

01-0606QB

- · Classic Design Detail on Column
- Queen Anne Base Features Multi-Step, Hand-Finished Catalyzed Finish
- Four (4) Legs with Adjustable Glides

Table Width	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

P\$ 7734

W\$ 7862

8919

8919

W\$ 9049

W\$ 9049

P\$



## CAMEO TABLES + CONFERENCING (9100 SERIES)

Item	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
TWO DOOR BUFFET WITH DRAWER	91-2436BF	36	24	36	189	21.7	P\$ 4071 W\$ 4145



#### Description


- Top Edge Profiled on Approach Side Only (<u>See Edge Options</u>); Must Specify Edge Selection
- One (1) Drawer and Storage Behind Two (2) Doors with One (1) Adjustable Shelf

#### Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile

Pull

#### FOUR DOOR BUFFET WITH TWO DRAWERS



#### Description

91-2472BF

• Top Edge Profiled on Approach Side Only (<u>See Edge Options</u>); Must Specify Edge Selection

72

24

36

36

36

342

337

362

45.6

45.6


45.6

• Two (2) Drawers and Storage Behind Four (4) Doors with Two (2) Adjustable Shelves

Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile

#### FOUR DOOR BUFFET WITH TWO DRAWERS AND OPEN STORAGE



#### Description

91-2472SBF

Description

91-2472BFD

• Top Edge Profiled on Approach Side Only (See Edge Options); Must Specify Edge Selection

72

24

- Two (2) Drawers with Open Storage with One (1) Adjustable Shelf
- Left and Right Storage Behind Doors with One (1) Adjustable Shelf
- Storage Behind Center Doors

Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile Pull

#### FOUR DOOR BUFFET WITH THREE DRAWERS



#### , ,

• Top Edge Profiled on Approach Side Only (<u>See Edge Options</u>); Must Specify Edge Selection

72

24

- Three (3) Drawers and Storage Behind Four (4) Doors with Three (3) Adjustable Shelves
- Center Section is Stepped Back

Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile Pull

P\$ 6389 W\$ 6518

W\$ 6555

W\$ 5219

#### CAMEO **TABLES + CONFERENCING (9100 SERIES)**

Item	Model No.	w	D	Н	Ship Wt	Cubic Ft	List Price
TWO DOOR CREDENZA	91-2436CC	36	24	30	150	17.6	P\$ 3154
							W\$ 3228



#### Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile

Locking Option

#### Description

- Top Edge Profiled on Approach Side Only (See Edge Options); Must Specify Edge Selection
- Two (2) Doors with One (1) Adjustable Shelf Behind Doors
- Additional Option: Locking Doors (<u>See Locking Options</u>)

#### FOUR DOOR CREDENZA



#### Must Specify (in this order):

Model # Top Material Finish/Color Edge Profile Pull Locking Option

#### Description

91-2472CC

• Top Edge Profiled on Approach Side Only (See Edge Options); Must Specify Edge Selection

72

24

30

72

290

285

155

34.2

42.0

22.0

- Four (4) Doors with Two (2) Adjustable Shelves Behind Doors
- Additional Option: Locking Doors (<u>See Locking Options</u>)

#### **DOUBLE DOOR** STORAGE CABINET



#### Must Specify (in this order):

Model # Finish Edge Profile Knob Pull No Moldina

#### Description

91-3672SUD

• Top Section has Two (2) Adjustable Shelves; Bottom Section has One (1) Adjustable Shelf

36

• Two (2) Knobs on Top Doors, Available with Antique Brass (TKN) Door Knob or Aluminum (ALK) Door Knob; Must Specify; Selection of Pulls on Bottom Doors

#### **Options: Specify**

N/C NONE No Decorative Molding \$

24

72

24

#### WARDROBE/STORAGE CABINET



#### Must Specify (in this order):

Finish Edge Profile No Moldina

#### Description

HINGED LEFT

91-1872WL

· Available with Antique Brass (TKN) Door Knob or Aluminum (ALK) Door Knob; Must Specify

18

· Fixed Top Shelf; Coat Rod Under Fixed Shelf

**HINGED RIGHT** 

91-1872WR

- Three (3) Adjustable Shelves Behind Door
- Adjustable Shelves can be Removed for Wardrobe Application

#### **Options: Specify**

NONE N/C No Decorative Molding \$



Item	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
VISOR RAIL	91-2472VR	72	24	53/16	100	8.9	W\$ 1347



#### Description

- · Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Buffets (Ordered Separately)

#### Options: Specify & Add

Must Specify (in this order):
Model #
Finish
Projection Screen
Task Light

Must Specify (in this order):

1-PS	Projection Screen (Requires Field Installation)	\$ 1026
TL-0848	Task Light (Requires Field Installation)	\$ 430

#### SERVING CART 91-2436SV 36 24 36 149 24.0 P\$ 4881 W\$ 4958



Model #

Top Material Finish/Color Edge Profile Pull Grommet Option

#### Description

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- Two (2) Box Drawers with Storage Behind Two (2) Doors
- Open Storage
- Locking Casters

#### **Grommet Option: Specify & Add**

1-GRMT	Grommet in Back Panel; Must Specify Black or Silver	\$ 50

#### LECTERN STAND 91-2650LS 26 24 50 130 21.9 W\$ 3881



Model #

Model #

Project Screen Tackboard Fabric


Finish

Finish Edge Profile

#### Description

- Top Edge Profiled on Approach Side Only; Must Specify Edge Selection
- · Fixed Reading Shelf
- · Pullout Shelf
- Two (2) Adjustable Storage Shelves in Lower Compartment
- Two (2) Locking and Two (2) Non-Locking Casters
- · Wire Management Grommet in Bottom Shelf

Must Specify (in this order):



Must Specify (in this order):

## 91-4848VB Description

 Tackboard on Each Door Standard in Black Fabric Unless Specified; Price Valid for Grades 1, 2, & 3 (See Other Pricing Below)

5

48

150

11.0

W\$ 5600

- · Display Rail with Adjustable Hooks for Flipchart
- Magnetic Door Closure and Porcelain Non-Glare Writing Surface
- Includes Flipchart, Set of Four (4) Dry Erase Markers and Eraser, Mounting Hardware

48

• Does Not Feature Soft Close Hinges

#### Options: Specify & Add

			Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackbo	oard Fabric Change	\$	268	394	522	704	892	1114	1368
1-PS	Projection Screen (Red	quires F	ield Insta	llation)				\$	1026



Item	Model No.	w	D	Н	Ship Wt	Cubic Ft	List Price
TABLE POWER & DATA VAULT	01-CVAULTG2A	41/3	15%	41/16	10	0.4	\$ 1878



OPEN MARKET ONLY

#### Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eve Prevents Rotation When Obstructed
- Two (2) Data Ports, Three (3) Power Outlets, and One (1) HDMI and Two (2) 5V USB
- 6' Power Cord
- UL and CSA Recognized

#### WORKSURFACE POWER CENTER



 01-INTRFC1A
 Aluminum
 14¼
 6¾
 2½
 11
 0.3
 \$ 1994

 01-INTRFC1B
 Black


#### Description

- For Use with Conference Tables
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLBB Plate (Consists of Two (2) RJ45 Cat 6)
- · 6' Power Cord
- · Convenience Plug on Bottom
- · UL Listed/CSA Certified
- Additional Telecom Plates, <u>See Telecom Plate Options</u>

#### **OASIS MINI POWER & DATA**



Top View



01-OASISMA Aluminum 14¼ 6¾ 27/8 11 0.3 \$ 3083 01-OASISMB Black

#### Description

- · For Use with Conference Tables
- · Soft Touch Hinged Lid
- Four (4) Power Outlets, Three (3) Telecom Plate Openings
- Two (2) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack); One (1) 01-ABLB Plate (Consists of One (1) RJ45 Cat 6)
- 9' Power Cord
- UL Listed
- Additional Telecom Plates, <u>See Telecom Plate Options</u>

#### **INTERACT POWER & DATA**



01-INTERACTG2A	Aluminum	9	53/8	2¾	5	0.2	\$ 861
01-INTERACTG2B	Black						

- Includes: Two (2) Power Outlets, Two (2) USB-A Charging Ports, One (1) Telecom Plate Opening; Two (2)
  Keystone Openings for Voice/Data Jacks
- One (1) Telecom Plates Included with the Unit: One (1) 01-ABLAB Plate (Consists of One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone Jack)
- Convenience Plug on Bottom
- 6' Power Cord
- UL and CSA Recognized
- Additional Telecom Plates, See Telecom Plate Options



Item	Model No.		w	D	Н	Ship Wt	Cubic Ft	List Price
POWER 440	01-DATA440A	Aluminum	55/16	43/8	-	5	0.2	\$ 931
	01-DATA440B	Black						



#### Description

- Two (2) Power Outlets
- Soft Touch Hinged Lid
- 6' Power Cord
- · UL and CSA Recognized

POWER DATA PORT

01-DPORT4A	Aluminum	8	4	-	7	0.2	\$ 1056
01-DPORT4B	Black						

#### Description

- · Retracts into Work Surface to Regain Productive Space; One-Touch Access to Power and Data
- Two (2) Power Outlets and Two (2) Open Ports for Data
- Additional Telecom Plates, <u>See Telecom Plate Options</u>
- Water-Proof Simplex (Outlets)
- Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- 6' Power Cord
- UL and CSA Recognized

**USB PORT** 

#### 01-USBPORT

#### Description

- Passive USB-A Port wtih Increased Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability; Idle Device Power Saving State
- 6' Cord
- · Compatible with 01-DPORT4

VOICE COUPLER

#### 01-VOICE1



#### Description

- · 6-Pin Modular Plug
- · Molded Black; Cord Not included
- Compatible with 01-DPORT4

DATA PORT

01-RJ4DATA



161

71

\$ 156



- 8-Pin Modular Plug; Cat6 Ethernet Cable; Pre-terminated Cable
- 10' Cord
- Compatible with 01-DPORT4



Item	Model No.		w	D	н	Ship Wt	Cubic Ft	List Price
ROUND GROMMET COVER	01-GRMTBK	Black	23//8	23//8	-	1	0.1	\$ 11
	01-GRMTSL	Silver	23/8	23//8	-	1	0.1	\$ 11

OPEN MARKET ONLY (SILVER)

- Description
- 23/8" (60mm) Round Grommet Cover
- Field Installed

SINGLE POWER	SAND	DOLLAR
--------------	------	--------



 01-SAND60PS
 Silver
 3
 3
 4
 1
 0.2
 \$ 95

 01-SAND60PW
 White

 01-SAND60PB
 Black

#### Description


- Mounts in 23/8" (60mm) Round Grommet
- Single Power Outlet with 6' Cord

DOUBLE USB SAND DOLLAR	01-SAND60US	Silver	3	3	4	1	0.2	\$ 268
	01-SAND60UW	White						
	01-SAND60UB	Black						



#### Description

- Mounts in 23/8" (60mm) Round Grommet
- Dual USB Outlets with 6' Cord





- Silver Metal Trim
- Clamps to Top
- Two (2) Power/Two (2) USB; 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications



Item	Model No.		w	D	н	Ship Wt	Cubic Ft	List Price
TRIO BEZEL CLAMP NEMA PLUG	01-TRIOCLAMPS	Silver	8	3	7	1	0.2	\$ 648
	01-TRIOCLAMPW	White						
	01-TRIOCLAMPS	Black						
55 50 55 B	Description							

- Silver Metal Trim
- · Clamps to Top
- Three (3) Power/Two (2) USB Power/One (1) Open Data; 10' Cord
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately; See Below
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications

HDMI DATA PORT ACCESSORY FOR TRIO UNITS

01-LCOMHDMI

-

0.2

1

\$ 160



#### Description

• HDMI Port for Trio Bezel Units

OPEN MARKET ONLY

VGA DATA PORT ACCESSORY FOR TRIO UNITS

01-LCOMVGA

0.2

\$ 117



#### Description

· VGA Port for Trio Bezel Units

RJ45 DATA PORT ACCESSORY FOR TRIO UNITS

01-LCOMRJ45

0.2

76



#### Description

• RJ45 Port for Trio Bezel Units



Item	Model No.	w	D	н	Ship Wt	Cubic Ft	List Price
VESTA POWER CENTER	01-PDCTR	103/4	12	281/4	14	2.5	\$ 1716
	Description						



- Top Includes One (1) Power Outlet, Two (2) USB Ports and One (1) USBC Port; Base Includes Three (3)
  Outlets
- · Available in White
- 120" Power Cord
- Built with Weight Distribution for Optimal Stability
- Base is 5" Tall



01-WMGR4

16

11/2

3/4

1

\$ 112



- Four (4) Wire Manager Strips
- Black Plastic
- Snap Lock Channel
- Attaches with Adhesive Strips
- · Can be Placed on All Units to Route Wires

CABLE GRIP

01-WMGRCB

5%

25/8

.

\$ 16



POWER STRIP

#### Description

- Under Surface Wire Management
- Black



01-PRSP 9 2 2 1 - \$ 198

- Includes Four (4) Outlets and Two (2) Phone Jacks
- Black Plastic with Rocker On/Off Switch
- 13 Amp Circuit Breaker
- 10' Power Cord and Two (2) 14' Phone Hook Up Cords
- UL Listed and CSA Certified
- Suitable for Surface or Recessed Mounting
- Ships via UPS Only



Item	Model No.	Description	List	Price
ECA TELECOM PLATES	01-ABL	Telecom Plate, Blank Plate	\$	40
	01-ABL737373	Telecom Plate, Three (3) RJ45 Cat 5e	\$	355
Compatible with:	01-ABLAB	Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone	\$	199
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	01-ABLAB102	Telecom Plate, One (1) RJ45 Cat 6, One (1) RJ11 Cat 3, One (1) USB W/72" Patch Cord	\$	309
	01-ABLABB	Telecom Plate, Two (2) RJ45 Cat 6, One (1) RJ11 Cat 3 Phone	\$	309
Oasis Mini Power & Data	01-ABLB	Telecom Plate, One (1) RJ45 Cat 6	\$	144
01-OASISMA, O1-OASISMB	01-ABLBB	Telecom Plate, Two (2) RJ45 Cat 6	\$	251
	01-ABLBBB	Telecom Plate, Three (3) RJ45 Cat 6	\$	355
	01-ABLBBBB	Telecom Plate, Four (4) RJ45 Cat 6	\$	460
	01-ABLBBC51	Telecom Plate, Two (2) RJ45 Cat 6, One (1) 15 Pin HD VGA w/72" Patch Cord	\$	431
Interact Power & Data 01-INTERACTG2A, 01-INTERACTG2B	01-ABLBC51L	Telecom Plate, One (1) RJ45 Cat 6, One (1) Mini Stereo Inline, One (1) 15 Pin HD VGA w/72" Patch Cord	\$	396
0.0	01-ABLC3811	Telecom Plate, One (1) RJ45 Cat 6 Data Inline, One (1) RJ11 Cat 3 Phone Inline	\$	190
8 8 1	01-ABLC45	Telecom Plate, One (1) HDMI w/36" Patch Cord	\$	285
Power Center 01-INTRFCIA, 01-INTRFCIB	01-ABLC45C51L	Telecom Plate, One (1) Mini Stereo Inline, One (1) HDMI w/36" Patch Cord, One (1) 15 Pin HD VGA w/72" Patch Cord	\$	539
OI-INTRECIA, OI-INTRECID	01-ABLC51L	Telecom Plate, One (1) 15 Pin HD VGA & One (1) Mini Stereo Inline Jack	\$	288
	01-ABLCRDM	Telecom Plate, Three (3) Cord Bushings	\$	93



#### **Standard Cutout Types & General Location Information**


- · Grommets can be specified, at an upcharge, add \$11 for a field installed grommet cover or add \$50 for a factory installed grommet (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- · The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- See exact measurements of Module locations.
- For specific locations available by table size see series pages, see Cameo locations.

#### **Cutout Locations Available**

**OC** = On Center **CL** = Left of Center **EL** = End Left **ML** = Middle Left **BB** = Between Bases (requires 2 modules) **CR** = Right of Center **ER** = End Right MR = Middle Right

#### **General Location of Cutouts**

For Tables with Two (2) Bases and One (1) Location:






For Tables with Two (2) Bases and Two (2) Locations:




(EL + ER)

For Tables with Three (3) Bases and One (1) Location:






One End




For Tables with Three (3) Bases and Two (2) Locations:






Middle of Each End




Off Center Left and Right




Between the Bases (BB, Slightly Off Center Between Bases)


For Tables with Three (3) Bases and Three (3) Locations:



On Center and Both Ends



Left of Center and Both Ends (CL + EL + ER)



Off Center and Middle of Each End

Continued on Next Page.

#### Standard Cutout Types & General Location Information (Continued)

- · Grommets can be specified, at an upcharge, add \$11 for a field installed grommet cover or add \$50 for a factory installed grommet (unless otherwise noted).
- Power/Data Modules can be specified in standard locations at no additional charge.
- The selection of both the Power/Data Module and Base will determine cutout locations for each table size, as well as placement over or between bases.
- See exact measurements of Module locations.
- For specific locations available by table size see series pages, see Cameo locations.

#### **Cutout Locations Available**


OC = On Center **CL** = Left of Center **ML** = Middle Left **EL** = End Left **BB** = Between Bases (requires 2 modules) **CR** = Right of Center **ER** = End Right MR = Middle Right


#### **General Location of Cutouts**

Continued from Previous Page

For Tables with Three (3) Bases and Four (4) Locations:










Off Center and Both Ends (CL + CR + EL + ER)


For Tables with Five (5) Bases and One (1) Location:








For Tables with Five (5) Bases and Two (2) Locations:





Middle of Each End




Off Center Left and Right




Between the Bases (BB, Slightly Off Center Between Bases)


For Tables with Five (5) Bases and Three (3) Locations:



On Center and Both Ends



Left of Center and Both Ends (CL + EL + ER)




Off Center and Middle of Each End (CL + ML + MR)

For Tables with Five (5) Bases and Four (4) Locations:



Middle of Each End and Both Ends (ML + MR + EL + ER)



Off Center and Both Ends (CL + CR + EL + ER)



#### **Location Measurements By Module**



	72" Tops	96"	Tops	120", 144"	& 168" Tops	192	" Tops
	OC On Center BB Between Bases (	requires 2 mod		eft of Center Right of Center	<b>EL</b> End Left <b>ER</b> End Right	<b>ML</b> Middle Le <b>MR</b> Middle R	
GROMMET	OC Center of Table	ОС	Center of Table	CL, CL + CR	5½" from center	CL, CL + CR	5½" from center
		EL, EL + ER	24½" from end	EL, EL + ER	24½" from end	EL, EL + ER	24½" from end
				CL + EL + ER, CL + CR + EL + ER	5½" from center and 24½" from end	CL + EL + ER, CL + CR + EL + ER	5½" from center and 24½" from end
				BB	Slightly off centered between bases	BB	Slightly off centered between bases
						ML + MR	48" from end
						CL + ML + MR, CL + CR + ML + MR	5½" from center and 48" from end
POWER 440	OC Center of Table	OC	Center of Table	OC	Splits seam in center of bases	OC	Splits seam in center of bases
		EL, EL + ER	25" from end	EL, EL + ER	25" from end	EL, EL + ER	25" from end
INTERACT				CL, CL + CR	5" from center	CL, CL + CR	5" from center
INTERACT				CL + EL + ER, CL + CR + EL + ER	5" from center and 25" from end	CL + EL + ER, CL + CR + EL + ER	5" from center and 25" from end
				ВВ	Slightly off centered between bases	ВВ	Slightly off centered between bases
						ML + MR	48" from end
						CL + ML + MR, CL + CR + ML + MR	5" from center and 48" from end
DPORT 4A	OC Center of Table	000	Center of Table	00	Splits seam in center	00	Splits seam in center
	OC Center of Table	00	Certier of Table		of bases	00	of bases
The state of the s		EL, EL + ER	29" from end	EL, EL + ER	29" from end	EL, EL + ER	29" from end
OASIS MINI,				CL + EL + ER, CL + CR + EL + ER	9½" from center and 29" from end	CL + EL + ER, CL + CR + EL + ER	
				CL, CL + CR	9½" from center	CL, CL + CR	9½" from center
INTRFC1				BB	Slightly off centered between bases	ВВ	Slightly off centered between bases
						ML + MR	48" from end
DOMED :						OC+ EL + ER	Splits center seam and 29" from end
POWER & DATA VAULT						OC+ ML + MR	Splits center seam and 48" from end
						CL + ML + MR, CL + CR + ML + MR	9½" from center and 48" from end



#### 36"x72" & 42"x96" TOPS

For General Location Information, See Cut Out Locations; For Exact Measurements of Locations, See Details.

#### **TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION**

**CL** Left of Center

**EL** End Left

ML Middle Left

**BB** Between Bases (requires 2 modules)

**CR** Right of Center

**ER** End Right

MR Middle Right

	36x	72			42x96				
	RECTANGLE	SQUARE	QUEEN ANNE		RECTANGLE	SQUARE	QUEEN ANNE		
GROMMET				GROMMET					
	ОС	ОС	ос		OC EL EL + ER	OC EL EL + ER	ОС		
POWER & DATA				POWER & DATA					
VAULT	OC			VAULT	OC EL EL + ER	OC EL EL + ER	ОС		
OASIS MINI				OASIS MINI					
	ос				OC EL EL + ER	OC EL EL + ER	ос		
INTERACT				INTERACT					
THE TANK	ОС			The same of the sa	OC EL EL + ER	OC EL EL + ER	ос		
INTRFC1				INTRFC1					
THE STATE OF THE S	ОС				OC EL EL + ER	OC EL EL + ER	ос		
POWER 440				POWER 440					
	ОС	ос	ос		OC EL EL + ER	OC EL EL + ER	ос		
DPORT4A				DPORT4A					
A TERUTA	ос	ос	ос	THE THE PARTY OF T	OC EL EL + ER	OC EL EL + ER	ос		





#### 48"x120" & 48"x144" TOPS

For General Location Information, See Cut Out Locations; For Exact Measurements of Locations, See Details.

#### **TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION**

OC On Center CL Left of Center EL End Left ML Middle Left BB Between Bases (requires 2 modules) CR Right of Center ER End Right MR Middle Right

	48x1	20		Tright of Center LK End	48x1	44	
	RECTANGLE	SQUARE	QUEEN ANNE		RECTANGLE	SQUARE	QUEEN ANNE
GROMMET	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	ВВ	GROMMET	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	ВВ
POWER & DATA VAULT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER		POWER & DATA VAULT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	ВВ
OASIS MINI	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER		OASIS MINI	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL+ER OC+EL+ER	ВВ
INTERACT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	ВВ	INTERACT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL+ER OC+EL+ER	BB
INTRFC1	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	ВВ	POWER CENTER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	ВВ
POWER 440	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	ВВ	POWER 440	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB
DPORT4A	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	ВВ	DPORT4A	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC BB EL EL + ER OC + EL + ER	BB

See Cameo Overview For Ordering Options





#### 48"x168" & 48"x192" TOPS

For General Location Information, See Cut Out Locations; For Exact Measurements of Locations, See Details.

#### **TOP LOCATIONS AVAILABLE BY BASE & MODULE COMBINATION**

**OC** On Center **BB** Between Bases (requires 2 modules)

**CL** Left of Center **CR** Right of Center

**EL** End Left **ER** End Right

ML Middle Left MR Middle Right

	48x1	68			48x1	92	
	RECTANGLE	SQUARE	QUEEN ANNE		RECTANGLE	SQUARE	QUEEN ANN
GROMMET	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	ВВ	GROMMET	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
POWER & DATA VAULT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	ВВ	POWER & DATA VAULT	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
OASIS MINI	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	ВВ	OASIS MINI	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
INTERACT	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	BB	INTERACT	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
INTRFC1	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	ВВ	INTRFC1	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR
POWER 440	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	ВВ	POWER 440	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB, CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
DPORT4A	BB, CL or EL CL + CR EL + ER CL + EL + ER CL + CR + EL + ER	OC, BB or EL EL + ER OC + EL + ER	ВВ	DPORT4A	CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	OC, BB or EL EL + ER ML + MR OC + EL + ER OC + ML + MR	BB ML + MR



#### ORDERING INFORMATION

All orders should be emailed to **neworders@indianafurniture.com**.

Orders can be faxed to 812-482-9035 or mailed to:

Indiana Furniture P.O. Box 270, 1919 Hospitality Drive Jasper, IN 47547-0270

#### **ORDER PROCEDURE**

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods or tables, give complete quantity, model number, finish and any other options.

When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the beginning of each series section. For further clarification of order procedure, contact Customer Service.

#### **PRICING**

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

#### **ACKNOWLEDGMENT**

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgment is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgment carefully and advise Indiana Furniture immediately of any discrepancies. Note: Shipping fees will not be listed on the acknowledgment.

#### **BUYER'S OBLIGATION: RIGHTS OF SELLER**

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

#### **CANCELLATIONS AND CHANGES**

Due to immediate production on build-to-order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

#### PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

#### REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

#### WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request, **a .084% per calendar day** (2.52% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

#### **DAMAGED MERCHANDISE**

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

## GENERAL INFORMATION + CONDITIONS OF SALE

**Obvious Damage/Missing Cartons** — Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

**Concealed Damage** — If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within 15 calendar days of delivery. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered  $\frac{1}{2}$  by the carrier and  $\frac{2}{2}$  by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truck loads.

#### **RETURN MERCHANDISE**

Merchandise will not be accepted for return without a RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

- 1. Manufacturing defect (inspected by Indiana Furniture representative)
- 2. Indiana Furniture order processing error
- 3. Shipping error
- 4. Mis-marked cartons
- 5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

#### **DELIVERY AND FREIGHT CHARGES**

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$300 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$600 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.

Shipments totaling less than \$3000 (net value, product only) will be assessed a small order fee of \$300 net per shipment. This fee will be reduced for items shipped via small package carriers. For order shipments of \$100 or less, shipped by small package carrier, the fee is \$18. For order shipments over \$100, shipped by small package carrier, the fee is \$40. All shipping fees will be added at the time of invoicing

#### **BIFMA AND ANSI TESTING**

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.



### Warranty

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. ("Indiana Furniture") warrants to the original purchaser all product in this price list ("Product") to be free from defects in material and workmanship given normal use for a 12-year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture's sole discretion) any Product, part, or component covered by this warranty and sold after August 2, 2022, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part, or component.

#### Warranty periods are limited for certain Products and parts as follows:

#### **12-year Warranty** (from the date of manufacture)

- · Seating Mechanisms
- Veneers
- Laminates
- · Casters and Glides

#### **7-year Warranty** (from the date of shipment)

- · Pneumatic Table Lift
- · Electric Table Lift

#### 5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- · Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard Kits
- Lighting
- · All Height Adjustable Mechanisms

#### **3-year Warranty** (from date of shipment)

- Dock 950 Wireless Charger
- · Dock 150 Wireless and USB Charger

#### THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- · Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness, or any other attribute of customer's own materials or any non-standard Indiana
  Furniture material (including CF Stinson, Maharam, Momentum, Mayer, UltraFabrics, Architex, and other alliance programs) specified by
  the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.


If you encounter a defect covered by the foregoing warranty, contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.


INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO THE PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT, OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc. Attn: Customer Service 1919 Hospitality Drive, P.O. Box 270 Jasper, Indiana 47547-0270 800.422.5727 Fax 812.482.9035 custserv@indianafurniture.com

#### **Surface Materials**

#### Wood Finishes and Woodgrain, Solid, and 3D Laminates





## Indiana

1919 Hospitality Drive PO Box 270 Jasper, Indiana 47547-0270

Tel 812.482.5727 Tol 800.422.5727 Fax 812.482.9035

sales@indianafurniture.com www.indianafurniture.com



MADE

BIFMA

Federal Classification: Small Business

©2023 Indiana Furniture 11/23