

Tri-One

Technical Specifications

General Information

Solutions for Single User, Multiple Users, Collaboration & Training Areas.
Modular, Meeting and Training Table configurations.
Flip Mechanism coupled with a base with casters allow for easy and fast nesting and reconfiguration of a space.
22 Veneer and 25 Woodgrain and Solid Laminate options.
Square & Knife Edge options.
Multi-Use Tables feature 4 leg designs; Training Tables feature 2 leg designs.
Optional Modesty Panels offer an added level of privacy.
The placement of legs or bases will not interfere with the clearance of the kneespace.
All hardware necessary for proper installation and stability of an item is provided.
All hardware on a unit is concealed.

Table Top Construction

Veneer Table Tops are 1 3/16" thick select grade plain sliced hardwood veneers in Cherry, Maple, American Black Walnut, White Oak, and composite veneers. Tops are available in Square and Knife edge profiles with 1.5mm edge banding.
High Pressure Laminate (HPL) Table Tops are 1 3/16" thick and fused to a balanced particleboard core. Select from solid color, patterned, and wood-grained laminates. Tops are available with Square and Knife edge profiles with a 3mm PVC rim.
Thermally Fused Laminate (TFL) Table Tops are 1" thick and fused to a balanced particleboard core. Select from solid color, patterned, and wood-grained laminates. Tops are available with a Square edge profile with a 3mm PVC rim.
Table Tops are bonded to the core with a PVA adhesive in a cold press to prevent separation of the laminate from the core.
Grain direction runs left to right unless noted in Price List.
Pre-Drilled for Ganging Brackets

Modular Conference Tables

Available in 24" & 30" Depths and Fixed Widths of 48", 60", 72" & 84" and Flexible Widths from 36" - 84" in Rectangular Shape.
Available in 24" & 30" Depths and Fixed Widths of 48", 60", 72" & 84" and Flexible Widths from 36" - 84" in Trapezoidal Shape.
Available in Pentagon Shapes to coordinate with 24" & 30"D Modular Tops.
Pentagon Shapes connect to
Available in 30°, 45° & 90° Bridge Shapes to coordinate with 24" & 30"D Modular Tops.
Bridges connect to 2 Modular Conference Tops with ganging brackets; no legs available.
Vantage & Envy Post Legs with adjustable glides available on all Modular Conference Tables.
TFL, HPL & Veneer Modesty Panels available for Rectangular & Trapezoidal Shapes.

Meeting Tables

Rectangular & Soft Rectangular Shapes available in 36" & 42" Depths and Widths of 60", 72", 84" & 96" Widths.
Square & Soft Square available in 30", 36" & 42".
Round available in 30", 36", 42" & 48".
Soft View Shapes available in 36-42" Depths and Widths of 72", 84" & 96" Widths.
Ellipse Shapes available in 36x72 & 42x84.
Y- Bases with adjustable glides available for Rectangular, Soft Rectangular & Soft View Tables.
X-Bases with adjustable glides available for all Rectangular, Soft Rectangular, Square, Soft Square & Soft View Tables.
Vantage & Envy Post Legs with adjustable glides available on Ellipse Tables.

Training Tables

Training Tables available in HPL & TFL with a square or knife edge profile.

Rectangular Shapes available in 18", 24" & 30" Depths and 48", 60" & 72" Widths.

Vantage T-Leg & Envy C-Leg with adjustable glides or casters available on all training table models.

Models with casters will include (2) locking casters and (2) non-locking casters

Envy C-Leg Assemblies include an integrated modesty panel.

Flip Mechanism for Nesting is Optional on all Training Tables.

Table Bases

All leg styles are powder-coated and include a 5mm steel mounting plate.

Envy style legs are Aluminum Extrusions.

Vantage style legs are welded steel.

All Envy Post Legs, Vantage Post Legs, X-Bases and Y-Bases include adjustable glides.

Envy C-Legs include a trough which acts as modesty panel and routes cables cleanly to the legs where a removable panel provides access.

Vantage T-Legs are equipped with a stretcher rail for secure support.

Envy C-Legs and Vantage T-Legs offer adjustable glides or casters.

Power & Data

Duo Bezel Unit

Recesses into worksurface for easy access to power and data.

2 power/2 USB ports.

Independent USB circuit controllers deliver up to 2.1 amps to each post.

All mounting hardware included.

FCC Part 15A and UL Approved for horizontal and vertical applications.

NEMA Plug units include a 10' Power Cord.

Hardwired units are 8 Wire/4 Circuit; Maximum 10 Duo units per circuit.

Daisy Chain units allow up to 8 modules to be connected with available jumper cord.

Duo NEMA Plug

Mounts to the underside of the table top.

2 power/2 USB ports.

Independent USB circuit controllers deliver up to 2.1 amps to each post.

All mounting hardware included.

FCC Part 15A and UL Approved for horizontal and vertical applications.

NEMA Plug units include a 10' Power Cord.

Trio Bezel Unit

Recesses into worksurface for easy access to power and data.

3 power/2 USB/1 Open Data Port.

HDMI, VGA, or RJ45 Accessories sold separately.

Independent USB circuit controllers deliver up to 2.1 amps to each post.

All mounting hardware included.

FCC Part 15A and UL Approved for horizontal and vertical applications.

NEMA Plug units include a 10' Power Cord.

Hardwired units are 8 Wire/4 Circuit; Maximum 10 Duo units per circuit.

Daisy Chain units allow up to 8 modules to be connected with available jumper cord.

Power & Data (cont.)

Trio NEMA Plug

Mounts to the underside of the table top.

3 power/2 USB/1 Open Data Port.

HDMI, VGA, or RJ45 Accessories sold separately.

Independent USB circuit controllers deliver up to 2.1 amps to each post.

All mounting hardware included.

Sustainability

12 Year Warranty (some exclusion apply, see Full Warranty in Price List)

Intertek's ETL Environmental VOC+ Product Certification

ANSI/BIFMA Level 2 Certified

Contribution to LEED V4

CARB (The California Air Resources Board) Compliance Products